



ANALYTICAL LABORATORIES  
microbiology - physicochemistry - sensory

GBA POLSKA Sp. z o.o.  
Member of GBA GROUP  
ul. Mochtyńska 65, 03-289 Warsaw, Poland



AB 1095

### TEST REPORT No: B/0/12/2025/665/FM/2/EN

**Customer:** 7FIT s.a. 55-200 Stanowice, ul. Stanowice 82A

**Order No:** B/0/12/2025/665

AE - accredited methodology (accreditation no. AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).

Material/product tested:		Dietary supplements						
Sample collection address:		55-200 Stanowice , Stanowice 82A						
Product name:		7NUTRITION COENZYME Q10 60 vege caps					Date*: 15 December 2025	
Producer:		7FIT SA						
Date of production:		08/12/2025						
Lot number:		3949						
Sampling according to:		-					Received by: GBA POLSKA employee no: 2729	
Samples transported by:		Shipping						
Sample no:	32785/12/25	Sample condition:	correct	Analysis start date:	15-12-2025	Analysis end date:	12-01-2026	
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	U	S/OI
M	Total microbial count	cfu/g	AE	PN-EN ISO 4833-1:2013-12, PN-EN ISO 4833-1:2013-12/Ap1:2016-11, PN-EN ISO 4833-1:2013-12/A1:2022-06	no requirements	<1,0x10 <sup>1</sup>		-
M	Presence of Salmonella spp.	25g	AE	PN-EN ISO 6579-1:2017-04, PN-EN ISO 6579-1:2017-04/A1:2020-09	no requirements	not detected in 25g		-
M	Presence of presumptive Escherichia coli	1g	AE	PN-ISO 7251:2006	no requirements	absent in 1g		-
M	Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species)	1g	AE	PN-EN ISO 6888-3:2004, PN-EN ISO 6888-3:2004/AC:2005	no requirements	absent in 1g		-
M	Count of yeasts and moulds	cfu/g	AE	PN-ISO 7954:1999	no requirements	<1,0x10 <sup>1</sup>		-
M	Count of Listeria monocytogenes	cfu/g	AE	PN-EN ISO 11290-2:2017-07	no requirements	<1,0x10 <sup>1</sup>		-
M	Count of presumptive Bacillus cereus	cfu/g	AE	PN-EN ISO 7932:2005, PN-EN ISO 7932:2005/A1:2020-09 excluding point 9.5	no requirements	<1,0x10 <sup>1</sup>		-
L	Lead	mg/kg	AE	PN-EN 15763:2010	≤ 3.0 ; mg/kg ; Commission Regulation (EU) 2023/915 of 25 April 2023	< 0,010	0,002	MEET

Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	U	S/OI
Ł	Mercury	mg/kg	AE	PN-EN 15763:2010	≤ 0.10; mg/kg; COMMISSION Regulation (EU) 2023/915 of 25 April 2023	< 0,0010	0.0002	MEET
Ł	Cadmium	mg/kg	AE	PN-EN 15763:2010	≤ 1.0 ; mg/kg ; Commission Regulation (EU) 2023/915 of 25 April 2023	< 0,0020	0.0003	MEET
Ł	Arsenic	mg/kg	AE	PN-EN 15763:2010	no requirements	< 0,010	0.002	-

Date\* - depending on the method of obtaining the sample by GBA POLSKA, it is the date of: collection (when the sample is collected only by a GBA POLSKA employee) or receipt (when the sample is collected from the Customer by a GBA POLSKA employee, is delivered by a courier company or delivered personally by the Customer).

U - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is provided when it is important for the reliability of test results or compliance with requirements/specifications and at the request of the Customer. The "test results" lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range " or "> value of the upper limit of the measuring range", respectively. These values provide information about the research results. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method.

S/OI - statements of conformity/opinion and interpretation, where:

S – statements of conformity with the requirements or specifications relating to the results for the parameters indicated in a given row, where CONFORMING means conformity and NON CONFORMING means non-conformity with specification. The decision rules agreed with the Customer and the risks associated with it, as well as the identification of which specifications, standards or parts thereof are met and which are not, are provided in the Remarks. In case of obtaining the "test results", the Statements of Conformity for those "test results" that are meet the requirements of PCA Communication No. 353 of August 24, 2021, it is carried out as part of the opinion and interpretation.

OI - opinion and interpretation of the Laboratory in relation to the qualitative results/results obtained below/above the method range, where MEET means complying with the requirements and NOT MEET means not complying with the requirements.

The results refer only to the tested samples (sampled or received - in accordance with the information presented in the Test Report).

The information in italics included in the Test Report was provided by the Customer. The laboratory is not responsible for this information. The laboratory is not responsible for the method of sampling and the representativeness of the samples provided by the Customer for testing.

The Test Report without the written approval of the Laboratory shall not be reproduced except in full.


The Laboratory does not store the samples after testing, unless otherwise agreed with the Customer.

Place of performance of the tests ("Lab."): Ł - Łajski, ul. Kościelna 2a, 05-119 Legionowo, L - ul. Doświadczalna 50a, 20-280 Lublin, M - ul. Fabryczna 7, 41-404 Mysłowice, P – ul. Jasielska 16a, 60-476 Poznań, W – ul. Żąbkowska 18, 03-735 Warszawa, PS - in situ measurement.

NOTE: Original Test Report is issued in electronic form with the \*.pdf extension, signed with a qualified electronic signature. Therefore, all prints, unless certified as true copies, are copies.

**Remarks:**

The second selective medium for detecting the presence of Salmonella spp. in accordance with PN-EN ISO 6579-1:2017-04, Mon-EN ISO 6579-1:2017-04/A1:2020-09 is RVS broth and Brilliance Salmonella/Agar. Coagulase is used to detect staphylococci-positive, Braid Parker RPF/agar was used.

<b>Created on:</b> 13-01-2026	<b>Authorized result:</b> GBA POLSKA employee no: 2486 GBA POLSKA employee no: 2510	<b>Authorized Test report:</b> Food Research Industry Documentation Team Leader GBA POLSKA employee no: 2942	<b>Signed with a qualified electronic signature</b> 
----------------------------------	---	--	--

Report prepared in a single copy

Original of PDF: Customer, copy of PDF to: Laboratory archive

**The end of the Test Report**