

**TEST REPORT NO 1017606/25/GDY**

Client <b>7FIT S.A.</b> Stanowice 82A 55-200 Stanowice		Sample (according to declaration of Client) Sample description: 7NUTRITION OMEGA 3 200 softgels Batch: 3964 Production date: 15.12.2025 Expiry date: 30.04.2028
Sample reception date:	<b>19.12.2025</b>	Sample status: no objections Sample number: 1017606/25/GDY
Start of analysis	<b>19.12.2025</b>	
End of analysis	<b>06.01.2026</b>	Sample received from the Client
Test report date	<b>06.01.2026</b>	

Test Method	Unit	Result
* Content of elements PN-EN 15763:2010		
Lead (Pb)	mg/kg	< 0,010
Arsenic (As)	mg/kg	< 0,010
Cadmium (Cd)	mg/kg	< 0,0010
Mercury (Hg)	mg/kg	< 0,0010
* Aerobic colony count at 30°C PN-EN ISO 4833-2:2013-12; PN-EN ISO 4833-2:2013-12/A1:2022-06	cfu/g	<1,0x10 <sup>2</sup>
* Presence of Escherichia coli in 1 g PN-ISO 7251:2006	in 1 g	Not detected
* Number of yeasts and moulds at 25°C PN-ISO 7954:1999 (withdrawn)	cfu/g	<1,0x10 <sup>1</sup>
* Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	in 25 g	Not detected
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 1 g	Not detected
Totox index Totox index	-	19,2
Anisidine value PN-EN ISO 6885:2016-04	-	10,4
Peroxide value PN-EN ISO 3960:2017-03	meq O <sub>2</sub> /kg of capsule filling	4,4

Test report authorized by:

ID: 346, Analysis Expert, Authorization Section

ID: 368, Analysis Expert, Microbiology Laboratory

ID: 371, Senior Analysis Specialist, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

**TEST REPORT NO 1017606/25/GDY**

Laboratory address:  
Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received and tested. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor  $k=2$  at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited

# Test performed by external provider

---

**THE END OF THE REPORT**