


TEST REPORT NO 707384/23/GDY

| | | |
|--|-------------------|---|
| Client 7FIT S.A. Stanowice 82A 55-200 Stanowice | | Sample (according to declaration of Client) Sample description: 7NUTRITION SODIUM BUTYRATE - 100 vege caps Batch: SBT1223/7F Production date: 30.11.2023 Expiry date: 30.11.2025 |
| Sample reception date: | 21.12.2023 | Sample status: no objections Sample received from the Client |
| Start of analysis | 21.12.2023 | |
| End of analysis | 03.01.2024 | |
| Test report date | 03.01.2024 | |

| Test Method | Unit | Result | Criteria | Statement of conformity |
|---|---------|----------------------------|----------|-------------------------|
| * Aerobic colony count at 30°C PN-EN ISO 4833-2:2013-12 | cfu/g | <1,0x10 ² | - | - |
| * Presence of Escherichia coli in 1 g PN-ISO 7251:2006 | in 1 g | Not detected | - | - |
| * Number of yeasts and moulds at 25°C PN-ISO 7954:1999 (withdrawn) | cfu/g | <1,0x10 ¹ | - | - |
| * Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09 | in 25 g | Not detected | - | - |
| * Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005 | in 1 g | Not detected | - | - |
| * Content of elements ^{1) 2)} PN-EN 15763:2010 | | | | |
| Lead (Pb) | mg/kg | < 0,010 (0,010 ± 0,003) | ≤ 3,0 | Pass |
| Cadmium (Cd) | mg/kg | < 0,0010 (0,0010 ± 0,0002) | ≤ 1,0 | Pass |
| Mercury (Hg) | mg/kg | < 0,0010 (0,0010 ± 0,0002) | ≤ 0,10 | Pass |

- The lower limit of the measuring range of the accredited method, which is also the limit of quantification set by the Laboratory.
- Commission Regulation (EU) 2023/915 of 25 April 2023, as amended, on maximum levels for certain contaminants in food and repealing Regulation (EC) No 1881/2006.

Authorized by:
 ID: 106, Analysis Expert, Microbiology Laboratory
 ID: 295, Analysis Expert, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
 Chwaszczyńska 180, 81-571 Gdynia

TEST REPORT NO 707384/23/GDY

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor $k=2$ at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

Test performed by external provider

THE END OF THE REPORT