## **GBA**POLSKA

# ANALYTICAL LABORATORIES microbiology - physicochemistry - sensory



GBA POLSKA Sp. z o.o. Member of GBA GROUP

Headquarter address: ul. Mochtyńska 65, 03-289 Warsaw, Poland

### TEST REPORT No.: B/0/03/2024/642/FM/C/9/EN

7FIT s.a. 55-200 Stanowice, ul. Stanowice 28A

Order No.:

A - accredited methodology (AB 1095); reference - if the law so provides (the result can be used to assess compliance in the legally regulated area).

AE - accredited methodology (AB 1095) of flexible scope - reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).

AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).

NA - non-accredited method

MON - methodology accredited in terms of "OiB"

GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)

B/0/03/2024/642

A/P - accredited methodology of the subcontractor

P - non-accredited methodology of the subcontractor

Materia	al/product tested:	Dietary supp	lement	ts							
Sample collection address:			55	55-200 Stanowice, Stanowice 82A							
Product name: 7NUTRITION M			N MEL	LATONIN	60 VEGE CAPS	Date*: 27.03.2024					
Producer:			7 <i>F</i>	FIT SA							
Date of production:			20	)/03/2024							
Lot number:			38	857							
	collected according to: transported by: Shipping					Sample receiver:	GBA POLSKA e	mployee no.:	2729		
Sample no.: 46428/03/24 Sample evaluation:			un	unreservedly Analysis start date: 27-03-2024			analysis end date: 03-04-2024				
Lab.	Analyzed parame	ter	Unit	Accred.	Test method	Requirement	Result	MU**	Ν		
Ł	Total microbial count		cfu/g	AE	PN-EN ISO 4833-1:2013-12, PN- EN ISO 4833-1:2013-12/Ap1:2016- 11, PN-EN ISO 4833-1:2013- 12/A1:2022-06	no requirements	<1,0 x 10 <sup>1</sup>				
Ł	Count of yeasts and moulds		cfu/g	AE	PN-ISO 7954:1999	no requirements	<1,0 x 10 <sup>1</sup>				
Ł	Lead	1	mg/kg	AE	PN-EN 15763:2010	no requirements	0,025	+/-0,004			
Ł			mg/kg	AE	PN-EN 15763:2010	no requirements < 0,001					
Ł	Cadmium	1	mg/kg	AE	PN-EN 15763:2010	no requirements	< 0,002				

## Date\* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

MU\*\* - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range " or "> value of the upper limit of the measuring range", respectively. These values provide information about the research results. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. In such a case, if the test results meet the requirements of PCA Communication No. 353 of August 24, 2021, the determination of compliance will be made as part of the opinion and interpretation.

Interpretation. The results relate to the tested samples (sampled or received - as reported in the test report). The italic information included in the report was provided by the Client. The Laboratory is not responsible for this information. The laboratory is not resposible for the method of sampling and the representativeness of the samples provided by the customer for testing. The test report without the written approval of the Laboratory shall not be reproduced except in full. Customer may file complains within 14 days from receiving the report. The Laboratory does not store the samples after testing, unless otherwise agreed with the customer. Place of performance of the tests ("Lab."): Ł - Łajski, L - Lublin, M - Mysłowice, PS - in situ measurement.

#### **Remarks:**

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy	The end o	of the Report	Original of PDF: Customer, copy of PDF to: Laboratory archive		
Created on:	Authorized result:	Authorized raport			
18-04-2024	GBA POLSKA employee no.: 2244 GBA POLSKA employee no.: 2642	Specialist in food and dietary supplements	Signod with a qualified electronic signature		
		GBA POLSKA employ no.: 2793			